


**TRON<sup>2</sup>**


**6.9 / 6.8 / 6.7 / 6.8 EQP / 6.7 EQP**



WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	27.5"+/29"	27.5"+/29"	27.5"+/29"	27.5"+/29"
<b>A</b> SEAT TUBE LENGTH (MM)	400	440	470	500
<b>B</b> TOP TUBE LENGTH (MM)	584	603	627	651
<b>C</b> STEERING ANGLE (°)	66,8	66,8	66,8	66,8
<b>D</b> SEAT TUBE ANGLE (°)	74,5	74,5	74,5	74,5
<b>E</b> CHAINSTAY LENGTH (MM)	455	455	455	455
<b>F</b> BOTTOM BRACKET DROP (MM)	25	25	25	25
<b>G</b> HEAD TUBE LENGTH (MM)	115	130	147	163
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	540	540	540	540
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1175	1196	1223	1249
<b>K</b> STACK (MM)	609	623	639	653
<b>L</b> REACH (MM)	415	430	450	470
STEM	60	60	60	60
CRANK	165/170(EQP)	165/170(EQP)	165/170(EQP)	165/170(EQP)

**JAM<sup>2</sup>**


**9.9 DRIFTER / 6.9 DRIFTER**



WHEEL SIZE	S	M	L	XL*
WHEEL DIAMETER	27.5"+/29"	27.5"+/29"	27.5"+/29"	27.5"+/29"
<b>A</b> SEAT TUBE LENGTH (MM)	410	440	470	500
<b>B</b> TOP TUBE LENGTH (MM)	584	604	624	649
<b>C</b> STEERING ANGLE (°)	65,6	65,6	65,6	65,6
<b>D</b> SEAT TUBE ANGLE (°)	73,6	73,6	73,6	73,6
<b>E</b> CHAINSTAY LENGTH (MM)	457	457	457	457
<b>F</b> BOTTOM BRACKET DROP (MM)	18	18	18	18
<b>G</b> HEAD TUBE LENGTH (MM)	120	120	140	160
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	557	557	557	557
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1188	1204	1219	1250
<b>K</b> STACK (MM)	624	624	634	652
<b>L</b> REACH (MM)	405	425	440	455
STEM	50	50	50	50
CRANK	165	165	165	165

**JAM<sup>2</sup>**


**9.8 NINE / 6.6 NINE**



WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	29"	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	410	440	470	500
<b>B</b> TOP TUBE LENGTH (MM)	582	602	622	647
<b>C</b> STEERING ANGLE (°)	66,1	66,1	66,1	66,1
<b>D</b> SEAT TUBE ANGLE (°)	74,1	74,1	74,1	74,1
<b>E</b> CHAINSTAY LENGTH (MM)	470	470	470	470
<b>F</b> BOTTOM BRACKET DROP (MM)	16,5	16,5	16,5	16,5
<b>G</b> HEAD TUBE LENGTH (MM)	120	120	140	160
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	561	561	561	561*
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1198	1218	1233	1264
<b>K</b> STACK (MM)	620	620	638	656
<b>L</b> REACH (MM)	405	425	440	455
STEM	55	55	55	55
CRANK	165	165	165	165


**JAM<sup>2</sup>**

**6.8 PLUS / 6.7 PLUS**




WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	27.5"+	27.5"+	27.5"+	27.5"+
<b>A</b> SEAT TUBE LENGTH (MM)	400	420	440	490
<b>B</b> TOP TUBE LENGTH (MM)	573	600	630	660
<b>C</b> STEERING ANGLE (°)	66	66	66	66
<b>D</b> SEAT TUBE ANGLE (°)	75,5	75,5	75,5	75,5
<b>E</b> CHAINSTAY LENGTH (MM)	427	427	427	427
<b>F</b> BOTTOM BRACKET DROP (MM)	10	10	10	10
<b>G</b> HEAD TUBE LENGTH (MM)	110	115	130	150
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	561	561	561	561*
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1163	1190	1221	1254
<b>K</b> STACK (MM)	607	612	625	643
<b>L</b> REACH (MM)	420	445	470	490
STEM	45	45	45	45
CRANK	165	165	165	165

**JAM<sup>2</sup>**  
6.8 NINE / 6.7 NINE




	S	M	L	XL
WHEEL SIZE				
WHEEL DIAMETER	29"	29"	29"	29"
A SEAT TUBE LENGTH (MM)	400	420	440	490
B TOP TUBE LENGTH (MM)	565	592	622	652
C STEERING ANGLE (°)	65,5	65,5	65,5	65,5
D SEAT TUBE ANGLE (°)	75	75	75	75
E CHAINSTAY LENGTH (MM)	447	447	447	447
F BOTTOM BRACKET DROP (MM)	19,5	19,5	19,5	19,5
G HEAD TUBE LENGTH (MM)	110	115	130	150
H FORK CONSTRUCTION HEIGHT (MM)	561	561	561	561
I PRE-RAKED FORK (MM)	51	51	51	51
J WHEELBASE LENGTH (MM)	1183	1210	1241	1274
K STACK (MM)	607	612	625	643
L REACH (MM)	412	437	462	487
STEM	45	45	45	45
CRANK	165	165	165	165

**JAM<sup>2</sup>**  
6.6 PLUS




	S	M	L	XL
WHEEL SIZE				
WHEEL DIAMETER	27.5"+	27.5"+	27.5"+	27.5"+
A SEAT TUBE LENGTH (MM)	410	440	470	500
B TOP TUBE LENGTH (MM)	582	602	622	647
C STEERING ANGLE (°)	66,1	66,1	66,1	66,1
D SEAT TUBE ANGLE (°)	74,1	74,1	74,1	74,1
E CHAINSTAY LENGTH (MM)	457	457	457	457
F BOTTOM BRACKET DROP (MM)	16,5	16,5	16,5	16,5
G HEAD TUBE LENGTH (MM)	120	120	140	160
H FORK CONSTRUCTION HEIGHT (MM)	561	561	561	561*
I PRE-RAKED FORK (MM)	51	51	51	51
J WHEELBASE LENGTH (MM)	1185	1205	1218	1251
K STACK (MM)	620	620	638	656
L REACH (MM)	405	425	440	455
STEM	55	55	55	55
CRANK	165	165	165	165

**FOCUS SAM<sup>2</sup>**  
6.8 / 6.7




	S	M	L
WHEEL SIZE			
WHEEL DIAMETER	27.5"	27.5"	27.5"
A SEAT TUBE LENGTH (MM)	420	440	480
B TOP TUBE LENGTH (MM)	585	604	624
C STEERING ANGLE (°)	65	65	65
D SEAT TUBE ANGLE (°)	75	75	75
E CHAINSTAY LENGTH (MM)	455	455	455
F BOTTOM BRACKET DROP (MM)	12	12	12
G HEAD TUBE LENGTH (MM)	118	118	138
H FORK CONSTRUCTION HEIGHT (MM)	562	562	562
I PRE-RAKED FORK (MM)	42	42	42
J WHEELBASE LENGTH (MM)	1196	1217	1240
K STACK (MM)	607	607	625
L REACH (MM)	425	440	455
STEM	40	40	40
CRANK	165	165	165

**RAVEN<sup>2</sup>**  
9.8 / 9.7




	S	M	L
WHEEL SIZE			
WHEEL DIAMETER	29"	29"	29"
A SEAT TUBE LENGTH (MM)	420	460	500
B TOP TUBE LENGTH (MM)	592	608	629
C STEERING ANGLE (°)	69,8	69,8	69,8
D SEAT TUBE ANGLE (°)	74,5	74,5	74,5
E CHAINSTAY LENGTH (MM)	454	454	454
F BOTTOM BRACKET DROP (MM)	68	68	68
G HEAD TUBE LENGTH (MM)	104	107	130
H FORK CONSTRUCTION HEIGHT (MM)	501	501	501
I PRE-RAKED FORK (MM)	44	44	44
J WHEELBASE LENGTH (MM)	1100	1116	1139
K STACK (MM)	620	623	644
L REACH (MM)	420	435	450
STEM	90	90	90
CRANK	175	175	175

**WHISTLER<sup>2</sup>**  
6.9 / 6.9 EQP




WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	29"	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	400	440	480	520
<b>B</b> TOP TUBE LENGTH (MM)	563	586	611	637
<b>C</b> STEERING ANGLE (°)	69	69	69	69
<b>D</b> SEAT TUBE ANGLE (°)	74	74	74	74
<b>E</b> CHAINSTAY LENGTH (MM)	455	455	455	455
<b>F</b> BOTTOM BRACKET DROP (MM)	62	62	62	62
<b>G</b> HEAD TUBE LENGTH (MM)	100	110	130	150
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	516	516	516	516
<b>I</b> PRE-RAKED FORK (MM)	46	46	46	46
<b>J</b> WHEELBASE LENGTH (MM)	1097	1120	1147	1175
<b>K</b> STACK (MM)	621	630	649	669
<b>L</b> REACH (MM)	385	405	425	445
STEM	90	90	90	90
CRANK	170	170	175	175

**JARIFA<sup>2</sup>**  
6.9 / 6.8 / 6.7 / 6.6




WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	29"	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	400	440	480	520
<b>B</b> TOP TUBE LENGTH (MM)	589	602	615	628
<b>C</b> STEERING ANGLE (°)	68	68	69	69
<b>D</b> SEAT TUBE ANGLE (°)	73,5	73,5	73,5	73,5
<b>E</b> CHAINSTAY LENGTH (MM)	470	470	470	470
<b>F</b> BOTTOM BRACKET DROP (MM)	62	62	62	62
<b>G</b> HEAD TUBE LENGTH (MM)	120	130	140	160
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	515	515	515	515
<b>I</b> PRE-RAKED FORK (MM)	51	51	51	51
<b>J</b> WHEELBASE LENGTH (MM)	1159	1178	1187	1209
<b>K</b> STACK (MM)	632	641	655	674
<b>L</b> REACH (MM)	410	425	440	455
STEM	70	70	70	70
CRANK	170	170	170	170

**JARIFA<sup>2</sup>**  
6.9 / 6.8 / 6.7 / 6.6



WHEEL SIZE	XS	S
WHEEL DIAMETER	27.5"	27.5"
<b>A</b> SEAT TUBE LENGTH (MM)	360	400
<b>B</b> TOP TUBE LENGTH (MM)	557	574
<b>C</b> STEERING ANGLE (°)	68	68
<b>D</b> SEAT TUBE ANGLE (°)	73,5	73,5
<b>E</b> CHAINSTAY LENGTH (MM)	460	460
<b>F</b> BOTTOM BRACKET DROP (MM)	48	48
<b>G</b> HEAD TUBE LENGTH (MM)	115	120
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	495	495
<b>I</b> PRE-RAKED FORK (MM)	44 / 47	44 / 47
<b>J</b> WHEELBASE LENGTH (MM)	1102	1119
<b>K</b> STACK (MM)	599	604
<b>L</b> REACH (MM)	380	395
STEM	70	70
CRANK	170	170

**AVENTURA<sup>2</sup>**  
6.9 / 6.8 / 6.7 / 6.6



WHEEL SIZE	S	M	L	XL
WHEEL DIAMETER	29"	29"	29"	29"
<b>A</b> SEAT TUBE LENGTH (MM)	420	460	500	540
<b>B</b> TOP TUBE LENGTH (MM)	570	583	603	619
<b>C</b> STEERING ANGLE (°)	70	70	70	70
<b>D</b> SEAT TUBE ANGLE (°)	74	74	74	74
<b>E</b> CHAINSTAY LENGTH (MM)	485	485	485	485
<b>F</b> BOTTOM BRACKET DROP (MM)	62	62	62	62
<b>G</b> HEAD TUBE LENGTH (MM)	100	110	130	150
<b>H</b> FORK CONSTRUCTION HEIGHT (MM)	501	501	501	501
<b>I</b> PRE-RAKED FORK (MM)	44	44	44	44
<b>J</b> WHEELBASE LENGTH (MM)	1124	1137	1159	1176
<b>K</b> STACK (MM)	612	622	640	659
<b>L</b> REACH (MM)	395	405	420	430
STEM	70	70	70	70
CRANK	170	170	170	170